



# Intimidator Spot 475Z

Intimidator Spot 475Z is a powerful moving head designed for spotlighting large events. This fixture can adapt to short-throw or long-throw situations, courtesy of its motorized zoom, and it is fitted with an ultra-bright 250 W LED. Achieve incredible visual effects with dual rotating prisms which split the beam, creating dramatic displays. Intimidator Spot 475Z also comes equipped with dual gobo wheels for gobo morphing and amazing mid-air projections! This feature-packed powerhouse utilizes motorized focus to channel crisp projections at almost any distance. Beams stay where you want them with built-in totem mode; the ¼-turn hanging bracket allows for single or dual clamp mounting options. The full-color LCD display lets you set, save, and recall one scene manually. Intimidator Spot 475Z has powerCON®-compatible power input/output connections for power linking. Convenient wireless non-DMX control is possible using the optional [IRC-6](#) remote.



# Highlights

- Extremely bright, 250 W LED moving head spot designed for large events
- Dual rotating prisms split the beam for great effects and cover a larger area
- Dual gobo wheels allow for gobo morphing and amazing mid-air projections
- Motorized zoom for short- or long-throw situations
- Unique ¼-turn hanging bracket allows for single or dual clamp mounting options
- Emit crisp projections at almost any distance using the motorized focus
- Beams always remain on the dance floor using the built-in, innovative Totem mode
- Convenient, wireless non-DMX control using the optional IRC-6 remote
- Set, save, and recall 1 scene manually, directly from the full-color LCD display
- powerCON®-compatible power input/output connections for power linking

## Specifications

- DMX Channels: 10 or 16
- DMX Connectors: 3-pin XLR
- Pan and Tilt: 540°/270°
- Pan and Tilt Ranges: 540°, 360°, 180° pan/270°, 180°, 90° tilt
- Colors: 7 + white, split colors, continuous scroll at variable speeds
- Gobos: (1): 7 + open (6 metal + 1 glass), rotating, interchangeable, indexing, continuous scroll at variable speeds  
(2): 8 + open, continuous scroll at variable speeds
- Light Source: 1 LED (white) 250 W, (16.3 A), 50,000 hours life expectancy
- Strobe Rate: 0 to 20 Hz
- PWM Frequency: 2 kHz
- Illuminance: (13°): 106,300 lux @ 2 m  
(28°): 23,680 lux @ 2 m  
(13°): 14,290 lux @ 5 m  
(28°): 3,741 lux @ 5 m
- Power Linking: 2 units @ 120 V; 4 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 380 W, 3.4 A @ 120 V, 60 Hz  
378 W, 1.9 A @ 230 V, 50 Hz
- Gobo Size: 25 mm outside, 21 mm image, 1 mm max thickness
- Zoom Angle: (motorized): 13° to 28°
- Weight: 36.2 lb (16.5 kg)
- Size: 14.3 x 9.8 x 20.9 in (363 x 250 x 531 mm)
- Approvals: CE, MET
- Prism: (1): 6-facet round, bidirectional rotation at variable speeds  
(2): 6-facet linear, bidirectional rotation at variable speeds
- Optional Controllers: [IRC-6](#)

## What's Included

- Intimidator Spot 475Z
- Power cord
- Hanging bracket
- 4000 K CTO filter